
Appendix E1 – Restoration Plans and TMDLs (Watershed Assessments)

Appendix E1

Harford County, MD Department of Public Works Watershed Protection and Restoration



Large Watershed Assessments Completed through FY2020




Appendix E1

Harford County, MD Department of Public Works Watershed Protection and Restoration



Small Watershed Assessments FY2020



Harford County, MD Department of Public Works Watershed Protection and Restoration Small Watershed Assessments



	Watershed	Completed	Drainge (ac)	Impervious (ac)	
1	Wheel Creek	2008	440	120	27%
2	Plumtree Run	2011	1,650	480	29%
3	Sams Branch	2012	370	90	24%
4	Foster Branch	2012	1,420	250	18%
5	Riverside Area	2014	300	110	37%
6	Declaration Run	2014	430	110	26%
7	Upper Farnandis Branch	2017	490	100	20%
8	Upper Bynum Run	2018	5,350	1,500	28%
9	Upper Emmord Branch	2018	1,010	190	19%
10	Taylors Creek	2018	670	200	30%
11	Stout Bottle Branch	2018	4,670	290	6%
12	Lower Bynum Run	2019	9,260	1,320	14%
		Totals	26,060	4,760	18%



Green Choices ... Healthy Streams

Harford Streams is a program developed and administered through Harford County Department of Public Works



Watershed Assessment Technical Memorandum

Prepared for

Harford County Department of Public Works
Division of Construction Management
Watershed Protection and Restoration Office
212 S. Bond Street
Bel Air, Maryland 21014

Prepared by

EA Engineering, Science, and Technology, Inc., PBC 225 Schilling Circle, Suite 400 Hunt Valley, Maryland 21031 (410) 584-7000

August 2020 Version: Draft EA Project No. 1535710



This page intentionally left blank



Table of Contents

	<u>Page</u>
1 Introduction and Background	5
1.1 Purpose	5
2 Watershed Plans	5
2.1 Small Watershed Action Plans	5
2.2 Large Watershed Restoration Plans Assessment	6
3 WatershedAssessment Feature Class Schema	6
4 Data Population	8
4.1 Volume Calculations	8
5 Data Checks	9
6 Watershed Assessment Standard Operating Procedures	9
Appendix A – BMP Type Domain	11





List of Tables

<u> </u>	age
Table 1: Small Watershed Action Plan Summary	6
Table 2: Schema	
Table 3: Data Population Rules	8
Table 4: Data Checks	
Table 5: Geodatabase Deliverable Standards	9



Watershed Assessment Technical Memorandum

1 Introduction and Background

Harford County's (County) National Pollutant Discharge Elimination System (NPDES) Municipal Separate Storm Sewer System (MS4) Permit Number 11-DP-3310, effective 30 December 2014 through 29 December 2019, requires the County to "complete detailed watershed assessment for the entire County." In this step of the watershed assessment, potential projects are identified for restoration credit. The County is interested in compiling all the potential project locations from the watershed assessment into one GIS feature class. This will:

- assist the County in identifying potential projects that are geospatially related to other improvements, and
- track the status of potential projects.

1.1 Purpose

The County contracted EA Engineering, Science, and Technology, Inc., PBC (EA) to compile the proposed projects in the identified watershed assessment plans provided in Table 1 into one GIS feature class, WatershedAssessment. The purpose of this feature class is to:

- track the completion and year of individual project;
- track the assigned County Best Management Practice (BMP) ID number;
- provide a comprehensive record of the potential projects within the County; and
- be exported for use as a Land BMP Input File into CAST Model (version CAST-2017d).

The purpose of this Technical Memorandum is to:

- 1. Identify the source data used to create the feature class.
- 2. Document the feature class schema.

2 Watershed Plans

The Watershed Plans were completed by several consultants for NPDES compliance. These plans were provided by the County to EA in PDF or Microsoft Word format. Some of the plans did contained corresponding GIS databases or SHP files. EA reviewed the data from each report and compiled the potential project locations into the WatershedAssessment feature class.

2.1 Small Watershed Action Plans

Table 1 is a list of the Small Watershed Action Plans that were used to compile the data into the WatershedAssessment feature class.



Table 1: Small Watershed Action Plan Summary

Waterway	Plan Name (Consultant, Year)			
Bynum Run	Lower Bynum Run Small Watershed Assessment Report (WSP 2019)			
(Lower)				
Bynum Run	Upper Bynum Run Watershed Assessment Report (Stantec 2018)			
(Upper)				
Declaration Run	Small Watershed Action Plan For Declaration Run and Riverside Watershed			
and Riverside	(URS 2014)			
Watershed				
Emmord Branch	North Reardon Inlet Watershed Small Watershed Action Plan (Bayland 2018)			
(Upper)				
Farnandis (Upper)	Upper Farnandis Small Watershed Assessment Report (WSP 2018)			
Foster Branch	Foster Branch Small Watershed Action Plan (Bayland, 2013)			
Plumtree Run	Plumtree Run Watershed Small Watershed Action Plan (Bayland, 2011)			
Sam's Branch	Sam's Branch Tributary Watershed Assessment and Baseline Stream			
	Monitoring (Biohabitats 2012)			
Stout Bottle	Stout Bottle Branch/Cabbage Run Subwatershed Action Plan (KCI 2012)			
Branch				
Taylor Creek	Taylor Creek Watershed Small Watershed Action Plan (Bayland 2018)			
Wheel Creek	Wheel Creek Watershed Assessment (Bayland 2008)			

2.2 Large Watershed Restoration Plans Assessment

Two large watershed restoration plans were written by URS in 2016 and updated by EA in 2019. Those plans were the *Harford County Chesapeake Bay Total Maximum Daily Load Restoration Plan for Nitrogen, Phosphorous, and Sediment* and the *Bynum Run Watershed Total Maximum Daily Load Restoration Plan for Sediment*. Both plans included GIS files with project locations already identified. The GIS files for both watershed restoration plans contained more BMP locations than what was reported in the final version of the plan. EA only kept the BMP locations that were included in the final watershed restoration plan.

3 WatershedAssessment Feature Class Schema

The WatershedAssessment feature class schema was created using ArcGIS Desktop. The schema and data descriptions are listed in Table 2.



Table 2: WatershedAssessment Feature Class Schema

Attribute	Description	Data Type
SourceBMPID	The original unique identifier from the Watershed Plan	Text – 15 characters
Source	A hyperlink to the Watershed Plan	Text – 250 characters
ProjectType	Identifies the Project Type	Domain: Structural BMPs Retrofits Stream Restorations Outfall Stabilization Tree Planting Non-Structural BMPs
ВМРТуре	Identifies the specific BMP and will match the BMP Domain Type of the MDE MS4 Geodatabase. For retrofit ProjectType, the BMPType is the Proposed BMP Type of the retrofit (as compared to identifying the current BMP Type).	Domain: See Appendix A
TreatmentArea	The Treatment Area or Total Drainage Area draining to the BMP	Double
ImpArea	The Impervious Area within the Treatment Area	Double
RepVol	The volume of the BMP in units of acre-feet that was reported in the Watershed Plan	Double
CalcVol	The volume calculated based on an assumed PE of 1 inch	Double
ImpAreaTreat	The Impervious Area Treatment for the BMP that was reported in the Watershed Plan	Double
Area	The area of tree planting, permeable pavement installation, and/or impervious area removal in units of acres	Double
Length	The length of stream restoration projects and outfall restoration project with units of feet	Double
PropertyOwner	If available in the PDF report this will be populated as either private or public or a combination	Domain: Public Private Combination
NoProperties	Number of properties involved in the project area	Text
Status	Status of the BMP for consideration by the MS4 Office or Incomplete to represent not all data are present in the Watershed Plans	Domain: Planning Design Under Construction Completed Not Feasible Incomplete Information
YearAsBuilt	This will be to document the year of As-Built for the plan	Double
BMPID	This will be the County BMPID number to assist in tracking for MS4 Reporting and Triennial Inspections	Text – 15 characters



4 Data Population

EA populated the WatershedAssessment feature class with the information available in the watershed plans listed in Table 1. There are 967 WatershedAssessment points in the feature class. Table 3 lists the exceptions and rules that were applied when populating the WatershedAssessment feature class.

Table 3: Data Population Rules

Rule	Description
Multiple BMPs at the Same Location	A BMP may be present in multiple reports and resulted in two points on top of each other. The point with the most information was maintained and typically the source report references the smallest watershed.
PropertyOwner	Was populated based on information provided in the report. If the information was not present, then it was populated using Harford County's Cadastral Parcel Layer. The Cadastral Parcel Layer references the Maryland State Department of Assessments and Taxation (SDAT) website.
Stream Restoration Outfall Restoration Projects	The point is placed at the downstream-most point of the stream restoration project or outfall.
Tree Planting Area, Impervious Area Removal, Permeable Pavement Areas	The point is placed at the centroid of the polygon.
Volume Calculations	Proposed volumes with treatment areas and impervious area was calculated based on an assumed PE of 1 inch. Refer to Section 4.1 <i>Volume Calculations</i> for more information.

4.1 Volume Calculations

For proposed BMPs that were missing volume calculation in the watershed assessment report, EA calculated the volume based on the treatment area, impervious and an assumed PE of 1 inch and populated the CalcVol attribute using the following equation:

$$\begin{split} ESD_{v} &= \frac{P_{E}R_{v}A}{12} \\ R_{v} &= 0.05 + 0.009I \\ ESD_{v} &= \frac{1 \times \left(0.05 + 0.009 \left(\frac{imparea}{TreatArea}\right)\right) \times TreatArea}{12} \end{split}$$

This calculation was done using a Python script.



5 Data Checks

Table 4 lists the data checks that EA performed on the data included in the feature class.

Table 4: Data Checks

Check	Description	
Duplicate Points	A BMP may be present in multiple reports and therefore result in multiple points on top of each other. The point with the most	
	information was maintained and typically the source report references the smallest watershed.	
Domain Check	Based on Appendix A confirmed the BMPType matched the ProjectType.	
Area	Confirmed only Tree Planting, Permeable Pavement and/or Impervious Area removal BMP Types had area values.	
Length	Confirmed only Stream Restoration and Outfall Restoration Projects had length values.	
Invalid Geometry	Confirmed all points had geometric points. If points did not have geometric points they were updated.	

6 Watershed Assessment Standard Operating Procedures

The County will continue to subcontract services for Watershed Assessment Plans. EA recommends the following geodatabase standards, identified in Table 5 to be applied to deliverables for future Watershed Assessment Plans.

Table 5: Geodatabase Deliverable Standards

Item	Description			
Projection	NAD 1983 StatePlane Maryland FIPS 1900 (US Feet)			
Geodatabase	File Geodatabase	e		
Feature Class	Point Feature			
Schema		orming the Watershed Restoration	on plans will have to	
	populate informat	tion in their schema.		
	Attribute	Description	Data Type	
	SourceBMPID	The original unique identifier	Text – 15	
		from the Watershed Plan	characters	
ProjectType Identifies the Project Type Domain:			Domain:	
	Structural BMPs		Structural BMPs	
	Retrofits			
	Stream		J J	
	Restorations		Restorations	
			Outfall	
	Stabilization			
	Tree Planting			
	Non Structural			
	BMPs			
BMPType Identifies the specific BMP D		Domain:		
	and will match the BMP See Appendix A			



Item	Description			
		Domain Type of the MDE MS4 Geodatabase. For retrofit ProjectType, the BMPType is the Proposed BMP Type of the retrofit (as compared to identifying the current BMP Type).		
	TreatmentArea	The Treatment Area or Total Drainage Area draining to the BMP	Double	
	ImpArea	The Impervious Area within the Treatment Area	Double	
	RepVol	The volume of the BMP in unit of acre-feet that is reported in the Watershed Plan	Double	
	ImpAreaTreat	The Impervious Area Treatment for the BMP that was reported in the Watershed Plan		
	Area	The area of tree planting, permeable pavement installation and/or impervious area removal in units of acres	Double	
	Length	The length of stream restoration projects and outfall restoration project with units of feet	Double	
	PropertyOwner	The owner category of the property where the project is located. (Public, Private, Combination)	Domain: Public Private Combination	
Data Checks	Perform Data Che	ata Checks listed in Table 4, Section 4 Data Checks.		
Metadata	A description/summary should include the firm's name, contract number, and date of submittal along with an overall description of the data. Any extra attributes added to the schema should be explained in the metadata.			



Appendix A – BMP Type Domain



This page intentionally left blank



BMPType Domain

Code	Code Description	Project Type	Notes
AGRE	Green Roof - Extensive	Structural	
AGRI	Green Roof - Intensive	Structural	
APRP	Permeable Pavements	Structural	
ARTF	Reinforced Turf	Structural	
BRCT	Bio-Reactor Carbon Filter	Structural	
DID	Disconnection of Illicit Discharges		
EDU	Education		
FBIO	Bioretention	Structural	
FORG	Organic Filter (Peat Filter)	Structural	
FPER	Perimeter (Sand) Filter	Structural	
FPRES	Floodplain Restoration		
FSND	Sand Filter	Structural	
FUND	Underground Filter	Structural	
IBAS	Infiltration Basin	Structural	
ITRN	Infiltration Trench	Structural	
MENF	Enhanced Filters	Structural	
MIBR	Infiltration Berms	Structural	
MIDW	Dry Well	Structural	
MILS	Landscape infiltration	Structural	
MMBR	Micro-Bioretention	Structural	
MRNG	Rain Gardens	Structural	
MRWH	Rainwater Harvesting	Structural	
MSGW	Submerged Gravel Wetlands	Structural	
MSWB	Bio-Swale	Structural	
MSWG	Grass Swale	Structural	
MSWW	Wet Swale	Structural	



Code	Code Description	Project Type	Notes
NDNR	Disconnection of Non-Rooftop Runoff	Non- Structural	Example – curb cuts in parking lots direct the stormwater water runoff to open area
NDRR	Disconnection of Rooftop Runoff	Non- Structural	
NSCA	Sheetflow to Conservation Areas	Non- Structural	
ODSW	Dry Swale	Structural	
PET	Pet Waste Management	Structural	
PMED	Micropool Extended Detention Pond	Structural	
PMPS	Multiple Pond System	Structural	
PPKT	Pocket Pond	Structural	
PWED	Extended Detention Structure, Wet	Structural	
PWET	Retention Pond (Wet Pond)	Structural	
RBS	River Bank Stabilization	Structural	
SPSC	Step Pool Storm Conveyance	Outfall Stabilization	Can also be Regenerative SW Conveyance
SUB	Sub-Soiling	Structural	
TRA	Trash Removal		
WEDW	Extended Detention - Wetland	Structural	
WPKT	Pocket Wetland	Structural	
WPWS	Wet Pond - Wetland	Structural	
WSHW	Shallow Marsh	Structural	
XDED	Extended Detention Structure, Dry	Structural	
XDPD	Detention Structure (Dry Pond)	Structural	
XFLD	Flood Management Area		
XOGS	Oil Grit separator	Structural	
ОТН	Other		
IMPR	Reduction of Impervious surface	Structural	



Watershed Assessment Technical Memorandum August 2020

Code	Code Description	Project Type	Notes
TREE	Tree Planting Locations	Tree Planting	Only Area
BUFF	Riparian Buffer Planting Areas	Tree Planting	Only Area
STRE	Stream Restoration	Stream Restoration	includes Head Cut Stabilization, Bar Stabilization, Slope stabilization, Bank Erosion Value of Length in FT
INLE	Proprietary inlet devices (Tree Box Filter, Vortext, etc)	Structural	
FILT	Filter Strips		
OUTF	Outfall Stabilization	Structural	Use for when Step Pool Storm Conveyance is not specifically called out.
WSND	Sand Seepage Wetland	Structural	Specifically, in Sams Branch
FORE	Forebay and Pretreatment	Structural	



This page intentionally left blank

Proposed Restoration Projects (Impervious Acres Treated)

	ST Practices	RR Practices	Stream Restoration	Tree Plantings	Total
Bush River	488.8	98.5	1517.2	159.2	2263.8
Gunpowder River	157.6	3.9	752.9	2.8	917.2
Lower Susquehanna River	48.2	37.6	8.0	0.0	93.8
Upper Western Shore	8.4	7.2	0.0	0.0	15.6
Total	703.1	147.2	2278.1	162.0	3290.4

Bush River Watershed (Proposed)

RR - Stormwater Performance

	# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
Bioretention	110	41.6				
Bioswale	13	49.6				
Micro Bioretention	18	2.9				
Permeable Pavement	8	0.2				
Submerged Gravel Wetlands	14	4.3				
Total	163	98.5				

ST - Stormwater Performance

	# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
Infiltration Basin	19	9.0				
Outfall Stabilization	30	18.1				
Sand Filter	47	11.7				
Step Pool Storm Conveyance	84	39.2				
Wet Pond	147	410.9				
Total	327	488.8				

Page 1 of 2 12/29/2020

Stream Restoration

Stream Restoration

# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
57	1,517				

Tree Planting

Tree Planting

# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
80	159				

Total 627 2,263.8

Page 2 of 2 12/29/2020

Gunpowder River Watershed (Proposed)

RR - Stormwater Performance

	# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
Bioretention	28	3.5				
Bioswale	0	0.0				
Micro Bioretention	5	0.0				
Permeable Pavement	0	0.0				
Submerged Gravel Wetlands	1	0.4				
Total	34	3.9				

ST - Stormwater Performance

	# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
Infiltration Basin	3	0.6				
Outfall Stabilization	0	0.0				
Sand Filter	5	0.9				
Step Pool Storm Conveyance	1	44.9				
Wet Pond	19	111.2				
Total	28	157.6				

Page 1 of 2 12/29/2020

Stream Restoration

Stream Restoration

# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
51	753				

Tree Planting

Tree Planting

# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
5	3				

Total 118 917.2

Page 2 of 2 12/29/2020

Lower Susquehanna River Watershed (Proposed)

RR - Stormwater Performance

	# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
Bioretention	47	37.6				
Bioswale	0	0.0				
Micro Bioretention	0	0.0				
Permeable Pavement	0	0.0				
Submerged Gravel Wetlands	0	0.0				
Total	47	37.6				

ST - Stormwater Performance

	# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
Infiltration Basin	2	0.2				
Outfall Stabilization	0	0.0				
Sand Filter	25	5.9				
Step Pool Storm Conveyance	0	0.0				
Wet Pond	31	42.2				

48.2

Total

58

Page 1 of 2 12/29/2020

Stream Restoration

Stream Restoration

# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
2	8				

Tree Planting

Tree Planting

# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
0	0				

Total 107 93.8

Page 2 of 2 12/29/2020

Upper Western Shore Watershed (Proposed)

RR - Stormwater Performance

	# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
Bioretention	12	7.2				
Bioswale	0	0.0				
Micro Bioretention	0	0.0				
Permeable Pavement	0	0.0				
Submerged Gravel Wetlands	0	0.0				
Total	12	7.2				

ST - Stormwater Performance

	# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
Infiltration Basin	0	0.0				
Outfall Stabilization	0	0.0				
Sand Filter	4	2.1				
Step Pool Storm Conveyance	0	0.0				
Wet Pond	3	6.3				
Total	7	8.4				

Page 1 of 2 12/29/2020

Stream Restoration

Stream Restoration

# Proje	ects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
0		0				

Tree Planting

Tree Planting

# Projects	IA Treated	N Reduction	P Reduction	S Reduction	Cost
0	0				

Total 19 15.6

Page 2 of 2 12/29/2020

Summary of Restoration Projects by Watershed Assessment

Harford County, MD Department of Public Works Watershed Protection and Restoration Wheel Creek Stream Improvement Projects



Wheel Creek Watershed Assessment (2008) (440 acres / 120 acres impervious)

		Year	Number of	Impervious	Total		Cost per
	Project	Complete	BMPs	Credits (ac)	Cost	Grants	Acre
WP000030	Wheel Creek at Calvert Walks Stream Restoration	2013	1	21.75	\$324,682	\$204,951	\$14,928
VVI 000030	Wheel creek at carrent walks stream hestoration	2013	1	21.75	7324,002	Ş20 4 ,331	Ş14, <i>32</i> 8
WP000022	Wheel Creek at Gardens of Bel Air SWM Retrofit	2013	1	4.79	\$322,120	\$178,804	\$67,248
WP000026	Wheel Creek at Festival at Bel Air SWM Retrofit	2016	1	12.00	\$385,601	\$195,436	\$32,133
WP000024	Wheel Creek at Country Walk 1A SWM Retrofit	2016	2	8.66	\$576,532	\$324,119	\$66,574
WP000025	Wheel Creek at Country Walk 1B SWM Retrofit	2017	1	3.66	\$292,152	\$118,614	\$79,823
WP000027	Lower Wheel Creek SWM Retrofit & Stream Restoration	2017	6	139.52	\$2,103,964	\$1,420,177	\$15,080
			-				
			Totals	190.38	\$4,005,051	\$2,442,103	\$21,037



Green Choices ... Healthy Streams

Harford Streams is a program developed and administered through Harford County Department of Public Works

Harford County, MD Department of Public Works Watershed Protection and Restoration Plumtree Run Stream Improvement Projects



Plumtree Run Watershed Assessment (2011) (1650 acres / 480 acres impervious)

		Year	Number of	Impervious	Total		Cost per
	Project	Complete	BMPs	Credits (ac)	Cost	Grants	Acre
		2222		0 = 4			
WP000040	Pumphrey Property Demolition	2009	3	0.51			
WP000013	Plumtree Run at Tollgate Stream Restoration	2011	1	50.40	\$428,877	\$215,000	\$8,509
WP000035	Ring Factory ES SWM Retrofit & Stream Restoration	2018	3	41.33	\$1,490,585	\$660,132	\$36,065
WP000088	Stormwater Retrofit at Homestead Elementary	2019	1	1.57	\$131,374	\$0	\$83,678
WP000087	Tributary to Plumtree Run at Wakefield Manor Stream Restor	2019	1	8.58	\$97,159	\$0	\$11,324
WP000039	Plumtree Run at Barrington Stream Restoration	2020	7	85.06	\$3,282,552	\$0	\$38,591
			Totals	187.45	\$5,430,548	\$875,132	\$28,971



Green Choices ... Healthy Streams

Harford Streams is a program developed and administered through Harford County Department of Public Works

Harford County, MD Department of Public Works Watershed Protection and Restoration Sams Branch Stream Improvement Projects



Sams Branch Watershed Assessment (2012) (370 acres / 90 acres impervious)

	Project	Year Complete	Number of BMPs	Impervious Credits (ac)	Total Cost	Grants	Cost per Acre
WP000042	Washington Court Demolition	2011	1	2.11			
WP000033	Willoughby Beach SWM Retrofit & Stream Restoration	2020	6	51.72	\$1,794,077	\$1,100,000	\$34,688
			Totals	53.83	\$1,794,077	\$1,100,000	\$33,329



Green Choices ... Healthy Streams

Harford Streams is a program developed and administered through Harford County Department of Public Works

Harford County, MD Department of Public Works Watershed Protection and Restoration Foster Branch Stream Improvement Projects



Foster Branch Watershed Assessment (2012) (1420 acres / 250 acres impervious)

		Year	Number of	Impervious	Total		Cost per
	Project	Complete	BMPs	Credits (ac)	Cost	Grants	Acre
WP000037	Foster Branch at Stillmeadow Stream Restoration	Active	3	31.44	\$902,070	\$0	\$28,692
W1 000037	l oster Branen at Stillmeadow Stream Restoration	7101140	3	31.44	7502,070	Ç	720,032
WP000019	Woodbridge SWM Retrofit	2013	1	3.80	\$256,467	\$0	\$67,491
WP000032	Foster Branch at Trimble Road Stream Restoration	2014	1	24.26	\$570,051	\$275,000	\$23,498
WP000020	Woodbridge Stream Restoration	2015	1	24.60	\$553,083	\$258,832	\$22,483
WP000036	Foster Branch at Dembytown Stream Restoration	2017	2	42.10	\$902,662	\$500,000	\$21,441
			Totals	126.20	\$3,184,333	\$1,033,832	\$25,232



Green Choices ... Healthy Streams

Harford Streams is a program developed and administered through Harford County Department of Public Works

Harford County, MD Department of Public Works Watershed Protection and Restoration Declaration Run Stream Improvement Projects



Declaration Run Watershed Assessment (2014) (430 acres / 110 acres impervious)

Project	Year Complete	Number of BMPs	Impervious Credits (ac)	Total Cost	Grants	Cost per Acre
WP000043 Northwest Branch Declaration Run Stream Restoration	Active	1	38.80	\$4,071,252	\$0	\$104,929
WP000034 Church Creek ES SWM Retrofit & Stream Restoration	Active	3	45.92	\$1,911,160	\$980,000	\$41,619
		Totals	84.72	\$5,982,413	\$980,000	\$70,614



Green Choices ... Healthy Streams

Harford Streams is a program developed and administered through Harford County Department of Public Works

Harford County, MD Department of Public Works Watershed Protection and Restoration

Upper Farnandis Branch Stream Improvement Projects



Upper Farnandis Branch Watershed Assessment (2017) (490 acres / 100 acres impervious)

	Project	Year Complete	Number of BMPs	Impervious Credits (ac)	Total Cost	Grants	Cost per Acre
WP000097	Woodland Run Stream Restoration	Active	1	54.00	\$1,204,996	\$0	\$22,315
			Totals	54.00	\$1,204,996	\$0	\$22,315



Green Choices ... Healthy Streams

Harford Streams is a program developed and administered through Harford County Department of Public Works

Harford County, MD Department of Public Works Watershed Protection and Restoration Upper Bynum Run Stream Improvement Projects



Upper Bynum Run Watershed Assessment (2018) (5350 acres / 1500 acres impervious)

		Year	Number of	Impervious	Total		Cost per
	Project	Complete	BMPs	Credits (ac)	Cost	Grants	Acre
WP000110	Spenceola Retrofit	Active	1	2.50	\$457,449	\$0	\$182,980
WP000109	Hickory Vet Retrofit	Active	1	0.80	\$315,565	\$0	\$394,457
WP000108	Gavigans Retrofit	Active	1	1.00	\$323,790	\$0	\$323,790
WP000091	C Milton Wright Stormwater Retrofit and Stream Restoration	Active	1	35.00	\$2,686,267	\$0	\$76,750
WP000012	Bynum Ridge Stream Stablization	2011	1	13.95	\$225,212	\$0	\$16,144
WP000018	Friends Pond SWM Retrofit	2011	1	11.70	\$109,761	\$0	\$9,381
WP000104	Courthouse Bioretention	2020	1	0.48	\$165,415	\$0	\$344,615

Harford County, MD Department of Public Works Watershed Protection and Restoration

Upper Bynum Run Stream Improvement Projects



Upper Bynum Run Watershed Assessment (2011) (1650 acres / 480 acres impervious)

		Totals	65.43	\$4,283,459	\$0	\$65,466
Project	Complete	BMPs	Credits (ac)	Cost	Grants	Acre
	Year	Number of	Impervious	Total		Cost per



Green Choices ... Healthy Streams

Harford Streams is a program developed and administered through Harford County Department of Public Works

Harford County, MD Department of Public Works Watershed Protection and Restoration Upper Emmord Branch Stream Improvement Projects



Upper Emmord Branch Watershed Assessment (2018) (1010 acres / 190 acres impervious)

	Project	Year Complete	Number of BMPs	Impervious Credits (ac)	Total Cost	Grants	Cost per Acre
WP000056	Magnolia Middle School Tree Planting	2014	1	0.23	\$5,295	\$5,295	\$23,022
WP000094	Magnolia Middle School Tree Planting II	2015	2	0.47	\$12,267	\$12,267	\$26,101
WP000085	Emmord Stream Restoration	2020	1	19.50	\$754,621	\$0	\$38,698
			Totals	20.20	\$772,183	\$17,562	\$38,227



Green Choices ... Healthy Streams

Harford Streams is a program developed and administered through Harford County Department of Public Works

Harford County, MD Department of Public Works Watershed Protection and Restoration Taylors Creek Stream Improvement Projects



Taylors Creek Watershed Assessment (2018) (670 acres / 200 acres impervious)

Project	Year Complete	Number of BMPs	Impervious Credits (ac)	Total Cost	Grants	Cost per Acre
WP000105 Mariner Point Tree Planting	2020	1	0.28	\$79,044	\$0	\$282,301
		Totals	0.28	\$79,044	\$0	\$282,301



Green Choices ... Healthy Streams

Harford Streams is a program developed and administered through Harford County Department of Public Works

Harford County, MD Department of Public Works Watershed Protection and Restoration

Lower Bynum Run Stream Improvement Projects



Lower Bynum Run Watershed Assessment (2017) (490 acres / 100 acres impervious)

	Project	Year Complete	Number of BMPs	Impervious Credits (ac)	Total Cost	Grants	Cost per Acre
WP000021	Sunnyview Drive Stream Restoration	Active	1	90.00	\$2,309,789	\$0	\$25,664
WP000057	Patterson Mill High School Tree Planting	2013	1	0.80	\$23,688	\$23,688	\$29,610
WP000029	Bynum at St Andrews Way Stream Restoration	2019	1	92.52	\$2,120,749	\$1,600,000	\$22,922
			Totals	183.32	\$4,454,226	\$1,623,688	\$24,298



Green Choices ... Healthy Streams

Harford Streams is a program developed and administered through Harford County Department of Public Works